

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ALAMANCE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ALAMANCE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ALAMANCE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	52	1	Fall, Unintentional	1,474	1	Fall, Unintentional	891
2	Unspecified, Unintentional	22	2	Unspecified, Unintentional	137	2	Unspecified, Unintentional	166
3	MVT, Unintentional	11	3	MVT, Unintentional	87	3	MVT, Unintentional	102
4	Suffocation, Unintentional	10	4	Other spec/class, Unintentional	61	4	Overexertion, Unintentional	54
5	Firearm, Self inflicted; Fire/ Burn, Unintentional	7	5	Poisoning, Unintentional	42	5	Struck, Unintentional; Natural/ Environ, Unintentional	48
	Other	11		Other	173		Other	151
TOTAL		120	TOTAL		1,974	TOTAL		1,460

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ALEXANDER			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ALEXANDER			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ALEXANDER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	12	1	Fall, Unintentional	282	1	Fall, Unintentional	357
2	MVT, Unintentional	6	2	Unspecified, Unintentional	39	2	Unspecified, Unintentional	58
3	Unspecified, Unintentional; Firearm, Self inflicted	4	3	MVT, Unintentional	21	3	MVT, Unintentional	30
4	Transport, other, Unintentional	2	4	Other spec/class, Unintentional	19	4	Struck, Unintentional	27
5	Unspecified, Assault; Suffocation, Unintentional; Firearm, Assault	1	5	Poisoning, Unintentional	12	5	Natural/ Environ, Unintentional	25
	Other	0		Other	37		Other	92
TOTAL		31	TOTAL		410	TOTAL		589

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ALLEGHANY			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ALLEGHANY			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ALLEGHANY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional; Fall, Unintentional	3	1	Fall, Unintentional	90	1	Fall, Unintentional	254
2	MVT, Unintentional; Firearm, Self inflicted	2	2	Unspecified, Unintentional	13	2	Unspecified, Unintentional	56
3	Poisoning, Self inflicted; Fire/ Burn, Unintentional	1	3	MVT, Unintentional	4	3	Overexertion, Unintentional	28
4			4	Struck, Unintentional; Other spec/class, Unintentional	3	4	Struck, Unintentional	27
5			5	Other spec/not class, Unintentional; Fire/ Burn, Unintentional	2	5	MVT, Unintentional	26
	Other	0		Other	5		Other	80
TOTAL		12	TOTAL		122	TOTAL		471

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ANSON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ANSON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ANSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	5	1	Fall, Unintentional	210	1	Fall, Unintentional	112
2	Unspecified, Assault; Firearm, Assault; Fire/ Burn, Unintentional	1	2	Unspecified, Unintentional	24	2	Unspecified, Unintentional	18
3			3	Natural/ Environ, Unintentional	15	3	Cut/ Pierce, Unintentional	16
4			4	MVT, Unintentional	14	4	Overexertion, Unintentional	11
5			5	Poisoning, Unintentional; Other spec/class, Unintentional	12	5	MVT, Unintentional	10
	Other	0		Other	24		Other	31
TOTAL		13	TOTAL		311	TOTAL		198

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ASHE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ASHE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ASHE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Self inflicted; Fall, Unintentional	5	1	Fall, Unintentional	319	1	Fall, Unintentional	44
2	MVT, Unintentional	4	2	Unspecified, Unintentional	21	2	Unspecified, Unintentional; Overexertion, Unintentional	8
3	Unspecified, Unintentional; Suffocation, Unintentional; Struck, Unintentional; Other spec/class, Unintentional; Other spec/NEC, Unintentional; Firearm, Assault; Drowning, Unintentional	1	3	MVT, Unintentional	14	3	Other spec/class, Unintentional; MVT, Unintentional; Cut/ Pierce, Unintentional	5
4			4	Poisoning, Unintentional	13	4	Poisoning, Unintentional; Other spec/not class, Unintentional; Natural/ Environ, Unintentional	2
5			5	Other spec/class, Unintentional	8	5	Transport, other, Unintentional; Struck, Unintentional; Pedal cyclist, other, Unintentional; Fire/ Burn, Unintentional	1
	Other	0		Other	37		Other	0
TOTAL		21	TOTAL		412	TOTAL		85

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* AVERY			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* AVERY			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* AVERY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	6	1	Fall, Unintentional	175	1	Fall, Unintentional	174
2	Unspecified, Unintentional	3	2	Unspecified, Unintentional	15	2	Struck, Unintentional	28
3	MVT, Unintentional	2	3	MVT, Unintentional	14	3	Overexertion, Unintentional	22
4	Suffocation, Unintentional; Firearm, Self inflicted; Firearm, Assault; Fire/ Burn, Unintentional	1	4	Other spec/class, Unintentional	9	4	Cut/ Pierce, Unintentional	18
5			5	Poisoning, Unintentional; Overexertion, Unintentional; Other spec/not class, Unintentional; Natural/ Environ, Unintentional	5	5	Unspecified, Unintentional	15
	Other	0		Other	13		Other	48
TOTAL		15	TOTAL		246	TOTAL		305

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* BEAUFORT			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* BEAUFORT			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* BEAUFORT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	9	1	Fall, Unintentional	421	1	Fall, Unintentional	765
2	MVT, Unintentional	8	2	Unspecified, Unintentional; MVT, Unintentional	34	2	Unspecified, Unintentional	119
3	Firearm, Self inflicted	6	3	Other spec/class, Unintentional	30	3	MVT, Unintentional	110
4	Fire/ Burn, Unintentional	4	4	Poisoning, Unintentional	25	4	Overexertion, Unintentional	71
5	Suffocation, Unintentional; Drowning, Unintentional	3	5	Other spec/not class, Unintentional	16	5	Struck, Unintentional	61
	Other	5		Other	66		Other	267
TOTAL		38	TOTAL		626	TOTAL		1,393

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* BERTIE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* BERTIE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* BERTIE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	7	1	Fall, Unintentional	104	1	Fall, Unintentional	148
2	Fall, Unintentional	5	2	Unspecified, Unintentional	28	2	MVT, Unintentional	45
3	Natural/ Environ, Unintentional; Fire/ Burn, Unintentional	2	3	MVT, Unintentional	12	3	Unspecified, Unintentional	32
4	Firearm, Self inflicted	1	4	Poisoning, Unintentional; Other spec/class, Unintentional	7	4	Cut/ Pierce, Unintentional	20
5			5	Poisoning, Undetermined	5	5	Overexertion, Unintentional; Other spec/class, Unintentional	11
	Other	0		Other	17		Other	41
TOTAL		17	TOTAL		180	TOTAL		308

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* BLADEN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* BLADEN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* BLADEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	4	1	Fall, Unintentional	171	1	Fall, Unintentional	475
2	Suffocation, Unintentional	3	2	Unspecified, Unintentional	41	2	Unspecified, Unintentional	120
3	Fire/ Burn, Unintentional; Fall, Unintentional; Cut/ Pierce, Assault	2	3	MVT, Unintentional	21	3	MVT, Unintentional	72
4	Unspecified, Unintentional; Suffocation, Self inflicted; Pedestrian, other, Unintentional; Firearm, Self inflicted	1	4	Poisoning, Unintentional	14	4	Overexertion, Unintentional	44
5			5	Other spec/class, Unintentional	12	5	Struck, Unintentional	41
	Other	0		Other	35		Other	137
TOTAL		17	TOTAL		294	TOTAL		889

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* BRUNSWICK			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* BRUNSWICK			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* BRUNSWICK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	16	1	Fall, Unintentional	640	1	Fall, Unintentional	628
2	Firearm, Self inflicted	11	2	Other spec/class, Unintentional	97	2	MVT, Unintentional	105
3	Suffocation, Unintentional	6	3	Unspecified, Unintentional	92	3	Unspecified, Unintentional	76
4	Unspecified, Unintentional	5	4	MVT, Unintentional	53	4	Struck, Unintentional	47
5	Fire/ Burn, Unintentional	3	5	Poisoning, Unintentional	41	5	Other spec/class, Unintentional	35
	Other	8		Other	102		Other	130
TOTAL		65	TOTAL		1,025	TOTAL		1,021

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* BUNCOMBE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* BUNCOMBE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* BUNCOMBE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	72	1	Fall, Unintentional	2,103	1	Fall, Unintentional	1,171
2	MVT, Unintentional	26	2	Unspecified, Unintentional	322	2	MVT, Unintentional	138
3	Unspecified, Unintentional	20	3	MVT, Unintentional	135	3	Unspecified, Unintentional	94
4	Suffocation, Unintentional	15	4	Other spec/class, Unintentional	85	4	Natural/ Environ, Unintentional	50
5	Firearm, Self inflicted	13	5	Poisoning, Unintentional	64	5	Struck, Unintentional	47
	Other	23		Other	264		Other	152
TOTAL		169	TOTAL		2,973	TOTAL		1,652

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* BURKE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* BURKE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* BURKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	17	1	Fall, Unintentional	842	1	Fall, Unintentional	1,170
2	Suffocation, Unintentional	15	2	Unspecified, Unintentional	65	2	Unspecified, Unintentional	111
3	MVT, Unintentional	13	3	Poisoning, Unintentional; MVT, Unintentional	37	3	MVT, Unintentional	107
4	Unspecified, Unintentional; Firearm, Self inflicted	8	4	Other spec/class, Unintentional	30	4	Cut/ Pierce, Unintentional	98
5	Suffocation, Self inflicted; Natural/ Environ, Unintentional	3	5	Natural/ Environ, Unintentional	25	5	Natural/ Environ, Unintentional	86
	Other	6		Other	60		Other	316
TOTAL		73	TOTAL		1,096	TOTAL		1,888

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CABARRUS			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CABARRUS			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CABARRUS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	71	1	Fall, Unintentional	1,511	1	Fall, Unintentional	1,335
2	MVT, Unintentional	20	2	Unspecified, Unintentional	294	2	Unspecified, Unintentional	166
3	Unspecified, Unintentional	13	3	MVT, Unintentional	87	3	MVT, Unintentional	116
4	Suffocation, Unintentional	12	4	Other spec/class, Unintentional	77	4	Struck, Unintentional	86
5	Firearm, Self inflicted	9	5	Poisoning, Unintentional	63	5	Overexertion, Unintentional	83
	Other	12		Other	200		Other	328
TOTAL		137	TOTAL		2,232	TOTAL		2,114

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CALDWELL			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CALDWELL			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CALDWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional; Firearm, Self inflicted; Fall, Unintentional	12	1	Fall, Unintentional	740	1	Fall, Unintentional	328
2	MVT, Unintentional	10	2	Unspecified, Unintentional	48	2	MVT, Unintentional	25
3	Suffocation, Unintentional	6	3	MVT, Unintentional	41	3	Unspecified, Unintentional	21
4	Poisoning, Unintentional	4	4	Poisoning, Unintentional	24	4	Overexertion, Unintentional; Cut/ Pierce, Unintentional	20
5	Poisoning, Self inflicted	2	5	Natural/ Environ, Unintentional	15	5	Struck, Unintentional	19
	Other	2		Other	80		Other	70
TOTAL		60	TOTAL		948	TOTAL		503

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CAMDEN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CAMDEN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CAMDEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	3	1	Fall, Unintentional	36	1	Fall, Unintentional	7
2	MVT, Unintentional	2	2	Unspecified, Unintentional	14	2	MVT, Unintentional	2
3	Firearm, Self inflicted; Fire/ Burn, Self inflicted	1	3	Other spec/not class, Unintentional; MVT, Unintentional	2	3	Other spec/not class, Unintentional	1
4			4	Overexertion, Unintentional; Natural/ Environ, Unintentional	1	4		
5			5			5		
	Other	0		Other	0		Other	0
TOTAL		7	TOTAL		56	TOTAL		10

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CARTERET			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CARTERET			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CARTERET		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	23	1	Fall, Unintentional	648	1	Fall, Unintentional	1,014
2	MVT, Unintentional	14	2	Unspecified, Unintentional	81	2	Unspecified, Unintentional	99
3	Unspecified, Unintentional	10	3	Poisoning, Unintentional	35	3	MVT, Unintentional	74
4	Firearm, Self inflicted	7	4	Other spec/class, Unintentional	31	4	Cut/ Pierce, Unintentional	58
5	Suffocation, Unintentional	4	5	MVT, Unintentional	28	5	Struck, Unintentional	57
	Other	10		Other	115		Other	250
TOTAL		68	TOTAL		938	TOTAL		1,552

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CASWELL			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CASWELL			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CASWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional; Fall, Unintentional	4	1	Fall, Unintentional	67	1	Fall, Unintentional	76
2	Suffocation, Unintentional; Machinery, Unintentional; MVT, Unintentional	2	2	Unspecified, Unintentional; MVT, Unintentional	6	2	Overexertion, Unintentional	22
3	Unspecified, Undetermined; Unspecified, Assault; Pedestrian, other, Unintentional; Firearm, Self inflicted	1	3	Struck, Unintentional; Natural/ Environ, Unintentional	3	3	Natural/ Environ, Unintentional	15
4			4	Other spec/not class, Unintentional; Other spec/not class, Assault; Fire/ Burn, Unintentional	2	4	Cut/ Pierce, Unintentional	14
5			5	Transport, other, Unintentional; Suffocation, Unintentional; Struck, Assault; Poisoning, Undetermined; Pedestrian, other, Unintentional; Overexertion, Unintentional; Other spec/class, Unintentional; Machinery, Unintentional	1	5	MVT, Unintentional	12
	Other	0		Other	0		Other	29
TOTAL		18	TOTAL		99	TOTAL		168

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CATAWBA			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CATAWBA			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CATAWBA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	27	1	Fall, Unintentional	1,065	1	Fall, Unintentional	1,152
2	Firearm, Self inflicted	16	2	Other spec/class, Unintentional	159	2	MVT, Unintentional	134
3	Unspecified, Unintentional; MVT, Unintentional	15	3	Unspecified, Unintentional	88	3	Unspecified, Unintentional	104
4	Suffocation, Unintentional	9	4	MVT, Unintentional	67	4	Struck, Unintentional	71
5	Fire/ Burn, Unintentional	3	5	Suffocation, Unintentional	29	5	Cut/ Pierce, Unintentional	69
	Other	11		Other	127		Other	229
TOTAL		96	TOTAL		1,535	TOTAL		1,759

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CHATHAM			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CHATHAM			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CHATHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	14	1	Fall, Unintentional	375	1	Fall, Unintentional	507
2	Unspecified, Unintentional	11	2	Unspecified, Unintentional	52	2	Unspecified, Unintentional	53
3	Fall, Unintentional	9	3	MVT, Unintentional	39	3	MVT, Unintentional	48
4	Suffocation, Unintentional	8	4	Natural/ Environ, Unintentional	13	4	Cut/ Pierce, Unintentional	46
5	Firearm, Self inflicted	5	5	Other spec/class, Unintentional	12	5	Natural/ Environ, Unintentional	45
	Other	8		Other	68		Other	150
TOTAL		55	TOTAL		559	TOTAL		849

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CHEROKEE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CHEROKEE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CHEROKEE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	8	1	Fall, Unintentional	253	1	Fall, Unintentional	226
2	Firearm, Self inflicted	4	2	Poisoning, Unintentional	31	2	MVT, Unintentional	38
3	Unspecified, Unintentional; Suffocation, Unintentional	2	3	Unspecified, Unintentional	17	3	Unspecified, Unintentional	22
4	Transport, other, Unintentional; Natural/ Environ, Unintentional; Machinery, Unintentional; Firearm, Unintentional	1	4	Suffocation, Unintentional; Overexertion, Unintentional; Other spec/class, Unintentional	11	4	Struck, Unintentional	18
5	Other	0	5	Natural/ Environ, Unintentional	8	5	Cut/ Pierce, Unintentional	14
TOTAL		20	TOTAL		378	TOTAL	Other	61
						TOTAL		379

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CHOWAN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CHOWAN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CHOWAN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	8	1	Fall, Unintentional	152	1	Fall, Unintentional	184
2	MVT, Unintentional; Fall, Unintentional	4	2	Unspecified, Unintentional	16	2	MVT, Unintentional	42
3	Fire/ Burn, Unintentional	2	3	MVT, Unintentional	14	3	Unspecified, Unintentional	38
4	Unspecified, Assault; Other land transport, Unintentional; Firearm, Self inflicted; Cut/ Pierce, Self inflicted	1	4	Poisoning, Unintentional	7	4	Natural/ Environ, Unintentional	17
5	Other	0	5	Natural/ Environ, Unintentional	4	5	Struck, Unintentional	15
TOTAL		22	TOTAL	Other	13	TOTAL	Other	46
					206			342

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CLAY			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CLAY			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CLAY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Suffocation, Unintentional; Fall, Unintentional	2	1	Fall, Unintentional	89	1	Fall, Unintentional	84
2	MVT, Unintentional; Firearm, Undetermined; Fire/ Burn, Unintentional; Fall, Self inflicted	1	2	Poisoning, Unintentional	10	2	MVT, Unintentional	10
3			3	Unspecified, Unintentional	7	3	Struck, Unintentional	8
4			4	Overexertion, Unintentional	6	4	Cut/ Pierce, Unintentional	7
5			5	Struck, Unintentional; MVT, Unintentional	5	5	Natural/ Environ, Unintentional	5
	Other	0		Other	17		Other	16
TOTAL		8	TOTAL		139	TOTAL		130

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CLEVELAND			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CLEVELAND			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CLEVELAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	40	1	Fall, Unintentional	1,150	1	Fall, Unintentional	1,405
2	Unspecified, Unintentional	24	2	Unspecified, Unintentional	106	2	MVT, Unintentional	174
3	MVT, Unintentional	14	3	MVT, Unintentional	74	3	Unspecified, Unintentional	122
4	Suffocation, Unintentional	6	4	Poisoning, Unintentional	55	4	Overexertion, Unintentional	116
5	Firearm, Self inflicted	5	5	Other spec/class, Unintentional	46	5	Cut/ Pierce, Unintentional	106
	Other	18		Other	141		Other	374
TOTAL		107	TOTAL		1,572	TOTAL		2,297

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* COLUMBUS			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* COLUMBUS			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* COLUMBUS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	18	1	Fall, Unintentional	395	1	Fall, Unintentional	483
2	Unspecified, Unintentional; Firearm, Self inflicted	10	2	Unspecified, Unintentional	65	2	MVT, Unintentional	89
3	Fall, Unintentional	9	3	MVT, Unintentional	41	3	Struck, Unintentional	56
4	Suffocation, Unintentional	8	4	Other spec/class, Unintentional	37	4	Overexertion, Unintentional	37
5	Transport, other, Unintentional; Struck, Unintentional; Poisoning, Unintentional; Pedestrian, other, Unintentional; Other spec/NEC, Unintentional; Natural/ Environ, Unintentional; Fire/ Burn, Unintentional; Drowning, Unintentional	1	5	Poisoning, Unintentional	23	5	Unspecified, Unintentional	34
	Other	0		Other	79		Other	122
TOTAL		63	TOTAL		640	TOTAL		821

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CRAVEN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CRAVEN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CRAVEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	15	1	Fall, Unintentional	1,004	1	Fall, Unintentional	775
2	Fall, Unintentional	12	2	Unspecified, Unintentional	150	2	Unspecified, Unintentional	101
3	Unspecified, Unintentional	10	3	Other spec/class, Unintentional	95	3	MVT, Unintentional	98
4	Suffocation, Unintentional	6	4	MVT, Unintentional	51	4	Overexertion, Unintentional	86
5	Firearm, Self inflicted	5	5	Poisoning, Unintentional	50	5	Struck, Unintentional	78
	Other	14		Other	132		Other	259
TOTAL		62	TOTAL		1,482	TOTAL		1,397

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CUMBERLAND			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CUMBERLAND			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CUMBERLAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	45	1	Fall, Unintentional	1,276	1	Fall, Unintentional	1,122
2	MVT, Unintentional	37	2	Unspecified, Unintentional	237	2	MVT, Unintentional	252
3	Unspecified, Unintentional; Firearm, Self inflicted	11	3	MVT, Unintentional	125	3	Unspecified, Unintentional	172
4	Suffocation, Unintentional	8	4	Other spec/class, Unintentional	108	4	Overexertion, Unintentional	65
5	Poisoning, Unintentional; Fire/ Burn, Unintentional; Cut/ Pierce, Assault	4	5	Poisoning, Unintentional	44	5	Struck, Unintentional	61
	Other	9		Other	210		Other	306
TOTAL		133	TOTAL		2,000	TOTAL		1,978

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* CURRITUCK			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* CURRITUCK			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* CURRITUCK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	6	1	Fall, Unintentional	68	1	Fall, Unintentional	24
2	Suffocation, Unintentional; MVT, Unintentional; Firearm, Self inflicted	2	2	Unspecified, Unintentional	12	2	MVT, Unintentional	7
3	Poisoning, Unintentional; Fall, Unintentional	1	3	Other spec/class, Unintentional; Natural/ Environ, Unintentional	4	3	Unspecified, Unintentional; Overexertion, Unintentional	3
4			4	Suffocation, Unintentional	3	4	Struck, Unintentional; Other spec/class, Unintentional	1
5			5	Struck, Unintentional; Poisoning, Unintentional; Overexertion, Unintentional; MVT, Unintentional	2	5		
	Other	0		Other	2		Other	0
TOTAL		14	TOTAL		101	TOTAL		39

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* DARE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* DARE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* DARE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	6	1	Fall, Unintentional	178	1	Fall, Unintentional	246
2	MVT, Unintentional	5	2	Unspecified, Unintentional	19	2	Cut/ Pierce, Unintentional	30
3	Unspecified, Unintentional	4	3	Poisoning, Unintentional	8	3	Unspecified, Unintentional; MVT, Unintentional	23
4	Suffocation, Unintentional	2	4	Overexertion, Unintentional	6	4	Struck, Unintentional	21
5	Transport, other, Unintentional; Poisoning, Unintentional; Pedestrian, other, Unintentional; Other spec/NEC, Unintentional; Other land transport, Unintentional; Firearm, Unintentional; Firearm, Self inflicted Other	1	5	Other spec/not class, Unintentional; MVT, Unintentional	3	5	Overexertion, Unintentional	20
		0		Other	13		Other	55
TOTAL		24	TOTAL		230	TOTAL		418

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* DAVIDSON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* DAVIDSON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* DAVIDSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	27	1	Fall, Unintentional	996	1	Fall, Unintentional	1,799
2	Unspecified, Unintentional	22	2	Unspecified, Unintentional	141	2	Unspecified, Unintentional	206
3	Suffocation, Unintentional; Firearm, Self inflicted	10	3	MVT, Unintentional	76	3	MVT, Unintentional	153
4	Poisoning, Self inflicted	3	4	Other spec/class, Unintentional	66	4	Struck, Unintentional	143
5	Poisoning, Unintentional; Machinery, Unintentional; Drowning, Unintentional Other	2	5	Poisoning, Unintentional	35	5	Overexertion, Unintentional	142
		7		Other	133		Other	463
TOTAL		112	TOTAL		1,447	TOTAL		2,906

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* DAVIE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* DAVIE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* DAVIE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	9	1	Fall, Unintentional	380	1	Fall, Unintentional	372
2	Fall, Unintentional	8	2	Unspecified, Unintentional	59	2	Unspecified, Unintentional	46
3	MVT, Unintentional	6	3	MVT, Unintentional	31	3	MVT, Unintentional	38
4	Firearm, Self inflicted	5	4	Other spec/class, Unintentional	18	4	Struck, Unintentional	24
5	Poisoning, Self inflicted	2	5	Poisoning, Unintentional	11	5	Overexertion, Unintentional	15
	Other	5		Other	44		Other	47
TOTAL		35	TOTAL		543	TOTAL		542

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* DUPLIN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* DUPLIN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* DUPLIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Self inflicted	11	1	Fall, Unintentional	375	1	Fall, Unintentional	678
2	Unspecified, Unintentional; MVT, Unintentional	10	2	Unspecified, Unintentional	71	2	MVT, Unintentional	90
3	Fall, Unintentional	9	3	MVT, Unintentional	26	3	Unspecified, Unintentional	84
4	Fire/ Burn, Unintentional	4	4	Poisoning, Unintentional	23	4	Struck, Unintentional	45
5	Suffocation, Unintentional	3	5	Other spec/class, Unintentional	20	5	Overexertion, Unintentional	41
	Other	7		Other	49		Other	176
TOTAL		54	TOTAL		564	TOTAL		1,114

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* DURHAM			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* DURHAM			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* DURHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	32	1	Fall, Unintentional	1,438	1	Fall, Unintentional	1,012
2	Unspecified, Unintentional	23	2	Unspecified, Unintentional	187	2	Struck, Unintentional	199
3	MVT, Unintentional	22	3	MVT, Unintentional	89	3	Cut/ Pierce, Unintentional	157
4	Suffocation, Unintentional	20	4	Poisoning, Unintentional	79	4	Unspecified, Unintentional	130
5	Firearm, Self inflicted	11	5	Other spec/class, Unintentional	51	5	MVT, Unintentional	121
	Other	22		Other	205		Other	301
TOTAL		130	TOTAL		2,049	TOTAL		1,920

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* EDGEcombe			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* EDGEcombe			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* EDGEcombe		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	15	1	Fall, Unintentional	333	1	Fall, Unintentional	362
2	MVT, Unintentional	6	2	Unspecified, Unintentional	46	2	Unspecified, Unintentional	59
3	Unspecified, Unintentional; Firearm, Self inflicted	5	3	MVT, Unintentional	30	3	MVT, Unintentional	45
4	Poisoning, Unintentional; Other spec/NEC, Unintentional; Natural/ Environ, Unintentional	2	4	Poisoning, Unintentional	19	4	Other spec/class, Unintentional	25
5	Unspecified, Assault; Suffocation, Unintentional; Other spec/NEC, Assault; Machinery, Unintentional; Fire/ Burn, Unintentional; Fire/ Burn, Self inflicted	1	5	Other spec/class, Unintentional; Natural/ Environ, Unintentional	9	5	Overexertion, Unintentional; Natural/ Environ, Unintentional	23
	Other	0		Other	50		Other	90
TOTAL		43	TOTAL		496	TOTAL		627

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* FORSYTH			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* FORSYTH			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* FORSYTH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	62	1	Fall, Unintentional	2,976	1	Fall, Unintentional	3,847
2	Unspecified, Unintentional	57	2	Unspecified, Unintentional	409	2	Unspecified, Unintentional	512
3	MVT, Unintentional	31	3	MVT, Unintentional	156	3	MVT, Unintentional	341
4	Suffocation, Unintentional	19	4	Other spec/class, Unintentional	89	4	Overexertion, Unintentional	275
5	Firearm, Self inflicted	12	5	Poisoning, Unintentional	87	5	Struck, Unintentional	257
	Other	31		Other	410		Other	793
TOTAL		212	TOTAL		4,127	TOTAL		6,025

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* FRANKLIN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* FRANKLIN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* FRANKLIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	14	1	Fall, Unintentional	338	1	Fall, Unintentional	628
2	Unspecified, Unintentional	7	2	Unspecified, Unintentional	41	2	Unspecified, Unintentional	128
3	Suffocation, Unintentional	3	3	MVT, Unintentional	25	3	MVT, Unintentional	75
4	Firearm, Self inflicted; Firearm, Assault; Fire/ Burn, Unintentional; Fall, Unintentional	2	4	Other spec/class, Unintentional	21	4	Overexertion, Unintentional	62
5	Unspecified, Self inflicted; Suffocation, Self inflicted; Other spec/class, Unintentional; Machinery, Unintentional; Drowning, Unintentional	1	5	Poisoning, Unintentional	16	5	Struck, Unintentional	55
	Other	0		Other	70		Other	171
TOTAL		37	TOTAL		511	TOTAL		1,119

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* GASTON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* GASTON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* GASTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	30	1	Fall, Unintentional	1,846	1	Fall, Unintentional	485
2	Suffocation, Unintentional	21	2	Unspecified, Unintentional	308	2	MVT, Unintentional	73
3	Unspecified, Unintentional	20	3	Other spec/class, Unintentional	109	3	Unspecified, Unintentional	67
4	MVT, Unintentional; Firearm, Self inflicted	11	4	Poisoning, Unintentional	94	4	Overexertion, Unintentional	50
5	Fire/ Burn, Unintentional	4	5	MVT, Unintentional	82	5	Struck, Unintentional	45
	Other	17		Other	229		Other	183
TOTAL		114	TOTAL		2,668	TOTAL		903

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* GATES			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* GATES			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* GATES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional; MVT, Unintentional	2	1	Fall, Unintentional	45	1	Fall, Unintentional	28
2	Natural/ Environ, Unintentional; Firearm, Self inflicted	1	2	Unspecified, Unintentional	10	2	MVT, Unintentional	9
3			3	MVT, Unintentional	3	3	Unspecified, Unintentional; Natural/ Environ, Unintentional	6
4			4	Poisoning, Unintentional; Other spec/class, Unintentional; Natural/ Environ, Unintentional	2	4	Struck, Unintentional	4
5			5	Fire/ Burn, Unintentional	1	5	Other spec/class, Unintentional	3
	Other	0		Other	0		Other	9
TOTAL		6	TOTAL		65	TOTAL		65

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* GRAHAM			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* GRAHAM			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* GRAHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	1	1	Fall, Unintentional	83	1	Fall, Unintentional	50
2			2	Unspecified, Unintentional	14	2	Other spec/not class, Unintentional	10
3			3	Suffocation, Unintentional; MVT, Unintentional	5	3	Natural/ Environ, Unintentional	8
4			4	Poisoning, Unintentional	4	4	MVT, Unintentional; Cut/ Pierce, Unintentional	6
5			5	Struck, Unintentional	3	5	Struck, Unintentional	4
	Other	0		Other	7		Other	14
TOTAL		2	TOTAL		121	TOTAL		98

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* GRANVILLE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* GRANVILLE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* GRANVILLE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	9	1	Fall, Unintentional	350	1	Fall, Unintentional	497
2	Fall, Unintentional	6	2	Unspecified, Unintentional	42	2	Overexertion, Unintentional	64
3	Unspecified, Unintentional; Suffocation, Unintentional	5	3	MVT, Unintentional	20	3	Unspecified, Unintentional; MVT, Unintentional	53
4	Other spec/NEC, Unintentional	3	4	Poisoning, Unintentional	15	4	Cut/ Pierce, Unintentional	48
5	Firearm, Self inflicted	2	5	Other spec/class, Unintentional	12	5	Struck, Unintentional	40
	Other	2		Other	59		Other	103
TOTAL		32	TOTAL		498	TOTAL		858

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* GREENE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* GREENE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* GREENE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	4	1	Fall, Unintentional	97	1	Fall, Unintentional	147
2	Suffocation, Unintentional	2	2	Unspecified, Unintentional	18	2	Unspecified, Unintentional	29
3	Unspecified, Unintentional; Machinery, Unintentional; Firearm, Self inflicted	1	3	MVT, Unintentional	15	3	Struck, Unintentional; MVT, Unintentional	20
4			4	Other spec/not class, Unintentional	5	4	Overexertion, Unintentional	16
5			5	Natural/ Environ, Unintentional	4	5	Other spec/class, Unintentional	11
	Other	0		Other	20		Other	27
TOTAL		13	TOTAL		159	TOTAL		270

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* GUILFORD			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* GUILFORD			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* GUILFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	213	1	Fall, Unintentional	3,930	1	Fall, Unintentional	3,527
2	MVT, Unintentional	49	2	Unspecified, Unintentional	463	2	MVT, Unintentional	396
3	Firearm, Self inflicted	26	3	MVT, Unintentional	275	3	Unspecified, Unintentional	395
4	Suffocation, Unintentional	20	4	Poisoning, Unintentional	129	4	Struck, Unintentional	193
5	Unspecified, Unintentional	18	5	Overexertion, Unintentional	97	5	Cut/ Pierce, Unintentional	152
	Other	41		Other	461		Other	716
TOTAL		367	TOTAL		5,355	TOTAL		5,379

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* HALIFAX			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* HALIFAX			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* HALIFAX		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	12	1	Fall, Unintentional	509	1	Fall, Unintentional	823
2	Unspecified, Unintentional	11	2	Unspecified, Unintentional	54	2	Unspecified, Unintentional	141
3	Fall, Unintentional	6	3	Other spec/class, Unintentional	31	3	MVT, Unintentional	92
4	Suffocation, Unintentional; Firearm, Self inflicted	5	4	MVT, Unintentional	30	4	Struck, Unintentional	63
5	Firearm, Assault	4	5	Poisoning, Unintentional	20	5	Natural/ Environ, Unintentional	61
	Other	5		Other	89		Other	187
TOTAL		48	TOTAL		733	TOTAL		1,367

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* HARNETT			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* HARNETT			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* HARNETT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional; Fall, Unintentional	13	1	Fall, Unintentional	715	1	Fall, Unintentional	914
2	MVT, Unintentional	11	2	Unspecified, Unintentional	103	2	MVT, Unintentional	127
3	Suffocation, Unintentional	7	3	MVT, Unintentional	48	3	Unspecified, Unintentional	114
4	Firearm, Self inflicted	5	4	Other spec/class, Unintentional	47	4	Natural/ Environ, Unintentional	80
5	Poisoning, Unintentional	2	5	Poisoning, Unintentional	43	5	Struck, Unintentional	73
	Other	4		Other	125		Other	254
TOTAL		55	TOTAL		1,081	TOTAL		1,562

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* HAYWOOD			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* HAYWOOD			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* HAYWOOD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	21	1	Fall, Unintentional	807	1	Fall, Unintentional	1,170
2	MVT, Unintentional	11	2	Unspecified, Unintentional	122	2	Unspecified, Unintentional	240
3	Firearm, Self inflicted	8	3	MVT, Unintentional	61	3	MVT, Unintentional	100
4	Unspecified, Unintentional; Suffocation, Unintentional	7	4	Other spec/class, Unintentional	41	4	Cut/ Pierce, Unintentional	81
5	Struck, Unintentional	3	5	Overexertion, Unintentional	25	5	Natural/ Environ, Unintentional	75
	Other	8		Other	128		Other	310
TOTAL		65	TOTAL		1,184	TOTAL		1,976

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* HENDERSON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* HENDERSON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* HENDERSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	70	1	Fall, Unintentional	1,269	1	Fall, Unintentional	287
2	Unspecified, Unintentional	17	2	Unspecified, Unintentional	96	2	MVT, Unintentional	56
3	MVT, Unintentional	16	3	MVT, Unintentional	58	3	Unspecified, Unintentional	27
4	Firearm, Self inflicted	15	4	Other spec/class, Unintentional	55	4	Struck, Unintentional	15
5	Suffocation, Unintentional	6	5	Poisoning, Unintentional	52	5	Other spec/class, Unintentional; Cut/ Pierce, Unintentional	13
	Other	18		Other	142		Other	49
TOTAL		142	TOTAL		1,672	TOTAL		460

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* HERTFORD			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* HERTFORD			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* HERTFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	6	1	Fall, Unintentional	144	1	Fall, Unintentional	216
2	MVT, Unintentional	4	2	Unspecified, Unintentional	29	2	MVT, Unintentional	48
3	Unspecified, Unintentional; Firearm, Self inflicted	2	3	MVT, Unintentional	16	3	Unspecified, Unintentional	42
4	Suffocation, Unintentional; Poisoning, Unintentional; Other spec/NEC, Unintentional	1	4	Other spec/class, Unintentional	7	4	Struck, Unintentional	22
5			5	Poisoning, Unintentional	4	5	Natural/ Environ, Unintentional	21
	Other	0		Other	13		Other	68
TOTAL		17	TOTAL		213	TOTAL		417

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* HOKE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* HOKE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* HOKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	5	1	Fall, Unintentional	155	1	Fall, Unintentional	236
2	Fall, Unintentional	4	2	Unspecified, Unintentional	15	2	MVT, Unintentional	47
3	Unspecified, Unintentional	3	3	MVT, Unintentional	14	3	Unspecified, Unintentional	24
4	Firearm, Self inflicted	2	4	Poisoning, Unintentional; Other spec/class, Unintentional	5	4	Overexertion, Unintentional	21
5	Poisoning, Unintentional	1	5	Struck, Unintentional	4	5	Struck, Unintentional	19
	Other	0		Other	17		Other	53
TOTAL		15	TOTAL		215	TOTAL		400

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* HYDE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* HYDE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* HYDE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Self inflicted; Fire/ Burn, Unintentional; Fall, Unintentional	1	1	Fall, Unintentional	73	1	Fall, Unintentional	37
2			2	Unspecified, Unintentional	3	2	Unspecified, Unintentional	5
3			3	Suffocation, Unintentional; Poisoning, Unintentional; Overexertion, Unintentional; Other spec/class, Unintentional; MVT, Unintentional	2	3	Overexertion, Unintentional	4
4			4	Struck, Unintentional; Poisoning, Undetermined	1	4	Struck, Unintentional; MVT, Unintentional	3
5			5			5	Other spec/class, Unintentional; Natural/ Environ, Unintentional	2
	Other	0		Other	0		Other	5
TOTAL		3	TOTAL		88	TOTAL		61

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* IREDELL			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* IREDELL			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* IREDELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	25	1	Fall, Unintentional	1,576	1	Fall, Unintentional	2,390
2	MVT, Unintentional	20	2	Unspecified, Unintentional	219	2	Unspecified, Unintentional	225
3	Suffocation, Unintentional	12	3	Other spec/class, Unintentional	120	3	MVT, Unintentional	215
4	Fall, Unintentional	11	4	Poisoning, Unintentional	79	4	Struck, Unintentional	177
5	Firearm, Self inflicted	5	5	MVT, Unintentional	69	5	Overexertion, Unintentional	164
	Other	18		Other	269		Other	532
TOTAL		91	TOTAL		2,332	TOTAL		3,703

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* JACKSON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* JACKSON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* JACKSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	9	1	Fall, Unintentional	300	1	Fall, Unintentional	274
2	Fall, Unintentional	6	2	Unspecified, Unintentional	32	2	Cut/ Pierce, Unintentional	39
3	MVT, Unintentional; Firearm, Self inflicted	2	3	MVT, Unintentional	15	3	MVT, Unintentional	28
4	Suffocation, Self inflicted; Poisoning, Unintentional; Poisoning, Self inflicted; Firearm, Assault; Fire/ Burn, Unintentional	1	4	Suffocation, Unintentional	14	4	Other spec/not class, Unintentional	26
5	Other	0	5	Transport, other, Unintentional	11	5	Natural/ Environ, Unintentional	25
				Other	53		Other	81
TOTAL		24	TOTAL		425	TOTAL		473

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* JOHNSTON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* JOHNSTON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* JOHNSTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	37	1	Fall, Unintentional	1,032	1	Fall, Unintentional	1,638
2	MVT, Unintentional	20	2	Unspecified, Unintentional	365	2	Unspecified, Unintentional	351
3	Unspecified, Unintentional	17	3	MVT, Unintentional	78	3	MVT, Unintentional	219
4	Suffocation, Unintentional	9	4	Other spec/class, Unintentional	71	4	Struck, Unintentional	134
5	Firearm, Self inflicted	6	5	Poisoning, Unintentional	39	5	Natural/ Environ, Unintentional	129
	Other	7		Other	152		Other	445
TOTAL		96	TOTAL		1,737	TOTAL		2,916

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* JONES			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* JONES			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* JONES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	4	1	Fall, Unintentional	104	1	Fall, Unintentional	86
2	MVT, Unintentional; Fall, Unintentional	2	2	Unspecified, Unintentional	19	2	Unspecified, Unintentional	13
3			3	Other spec/class, Unintentional; MVT, Unintentional	9	3	Cut/ Pierce, Unintentional	11
4			4	Poisoning, Unintentional	5	4	Other spec/class, Unintentional; Natural/ Environ, Unintentional	9
5			5	Struck, Unintentional	4	5	Overexertion, Unintentional	7
	Other	0		Other	11		Other	21
TOTAL		8	TOTAL		161	TOTAL		156

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* LEE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* LEE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* LEE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	10	1	Fall, Unintentional	320	1	Fall, Unintentional	815
2	Unspecified, Unintentional	8	2	Unspecified, Unintentional	52	2	Unspecified, Unintentional	124
3	MVT, Unintentional	7	3	MVT, Unintentional	32	3	MVT, Unintentional	123
4	Firearm, Self inflicted	6	4	Other spec/class, Unintentional	27	4	Struck, Unintentional	72
5	Suffocation, Unintentional; Poisoning, Unintentional; Firearm, Assault; Fire/ Burn, Unintentional; Cut/ Pierce, Self inflicted	1	5	Poisoning, Unintentional	17	5	Natural/ Environ, Unintentional	70
	Other	0		Other	85		Other	250
TOTAL		36	TOTAL		533	TOTAL		1,454

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* LENOIR			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* LENOIR			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* LENOIR		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	19	1	Fall, Unintentional	669	1	Fall, Unintentional	1,015
2	MVT, Unintentional	13	2	Unspecified, Unintentional	179	2	Unspecified, Unintentional	142
3	Unspecified, Unintentional	7	3	MVT, Unintentional	65	3	MVT, Unintentional	125
4	Suffocation, Unintentional	4	4	Other spec/class, Unintentional	42	4	Struck, Unintentional	115
5	Poisoning, Self inflicted	2	5	Natural/ Environ, Unintentional	22	5	Overexertion, Unintentional	94
	Other	7		Other	111		Other	268
TOTAL		52	TOTAL		1,088	TOTAL		1,759

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* LINCOLN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* LINCOLN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* LINCOLN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	10	1	Fall, Unintentional	595	1	Fall, Unintentional	1,061
2	MVT, Unintentional	9	2	Unspecified, Unintentional	70	2	Unspecified, Unintentional	110
3	Firearm, Self inflicted	5	3	Other spec/class, Unintentional	42	3	MVT, Unintentional	99
4	Fall, Unintentional	4	4	MVT, Unintentional	33	4	Struck, Unintentional	87
5	Suffocation, Unintentional	3	5	Poisoning, Unintentional	24	5	Cut/ Pierce, Unintentional	75
	Other	5		Other	62		Other	220
TOTAL		36	TOTAL		826	TOTAL		1,652

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* McDOWELL			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* McDOWELL			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* McDOWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	11	1	Fall, Unintentional	450	1	Fall, Unintentional	402
2	MVT, Unintentional	7	2	Unspecified, Unintentional	55	2	MVT, Unintentional	62
3	Unspecified, Unintentional	4	3	MVT, Unintentional	23	3	Cut/ Pierce, Unintentional	17
4	Firearm, Self inflicted	3	4	Poisoning, Unintentional	21	4	Overexertion, Unintentional	14
5	Suffocation, Unintentional; Poisoning, Unintentional	2	5	Other spec/class, Unintentional	13	5	Struck, Unintentional	13
	Other	6		Other	68		Other	70
TOTAL		35	TOTAL		630	TOTAL		578

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* MACON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* MACON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* MACON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	17	1	Fall, Unintentional	360	1	Fall, Unintentional	629
2	Unspecified, Unintentional	10	2	Unspecified, Unintentional	33	2	Struck, Unintentional	65
3	Suffocation, Unintentional	6	3	MVT, Unintentional	19	3	MVT, Unintentional	57
4	MVT, Unintentional	4	4	Poisoning, Unintentional; Other spec/class, Unintentional	13	4	Unspecified, Unintentional	56
5	Other spec/NEC, Unintentional	3	5	Natural/ Environ, Unintentional	12	5	Natural/ Environ, Unintentional	50
	Other	5		Other	35		Other	167
TOTAL		45	TOTAL		485	TOTAL		1,024

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* MADISON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* MADISON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* MADISON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	8	1	Fall, Unintentional	211	1	Fall, Unintentional	90
2	MVT, Unintentional	4	2	Unspecified, Unintentional	30	2	Natural/ Environ, Unintentional; MVT, Unintentional	13
3	Firearm, Self inflicted	3	3	Other spec/class, Unintentional	15	3	Unspecified, Unintentional	9
4	Unspecified, Unintentional; Suffocation, Unintentional	2	4	MVT, Unintentional	10	4	Struck, Unintentional	4
5			5	Struck, Unintentional; Other spec/not class, Unintentional	6	5	Transport, other, Unintentional; Cut/ Pierce, Unintentional	3
	Other	0		Other	20		Other	11
TOTAL		19	TOTAL		298	TOTAL		146

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* MARTIN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* MARTIN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* MARTIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	8	1	Fall, Unintentional	216	1	Fall, Unintentional	153
2	Unspecified, Unintentional	5	2	Unspecified, Unintentional	135	2	Unspecified, Unintentional	49
3	MVT, Unintentional	3	3	MVT, Unintentional	16	3	MVT, Unintentional	22
4	Poisoning, Unintentional; Fire/ Burn, Unintentional	2	4	Poisoning, Unintentional	11	4	Other spec/class, Unintentional	16
5	Suffocation, Unintentional; Firearm, Self inflicted; Firearm, Assault	1	5	Natural/ Environ, Unintentional	10	5	Natural/ Environ, Unintentional	12
	Other	0		Other	35		Other	43
TOTAL		23	TOTAL		423	TOTAL		295

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* MECKLENBURG			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* MECKLENBURG			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* MECKLENBURG		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	91	1	Fall, Unintentional	4,819	1	Fall, Unintentional	6,951
2	Unspecified, Unintentional	77	2	Unspecified, Unintentional	714	2	Unspecified, Unintentional	1,045
3	MVT, Unintentional	43	3	Other spec/class, Unintentional	415	3	MVT, Unintentional	783
4	Suffocation, Unintentional	20	4	MVT, Unintentional	259	4	Struck, Unintentional	482
5	Firearm, Self inflicted	12	5	Poisoning, Unintentional	208	5	Overexertion, Unintentional	447
	Other	49		Other	593		Other	1,589
TOTAL		292	TOTAL		7,008	TOTAL		#####

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* MITCHELL			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* MITCHELL			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* MITCHELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	5	1	Fall, Unintentional	265	1	Fall, Unintentional	91
2	Suffocation, Unintentional; Fall, Unintentional	3	2	Poisoning, Unintentional	21	2	MVT, Unintentional	14
3	Unspecified, Unintentional	2	3	MVT, Unintentional	15	3	Struck, Unintentional; Poisoning, Unintentional; Cut/ Pierce, Unintentional	3
4	Poisoning, Unintentional; Firearm, Self inflicted; Cut/ Pierce, Unintentional	1	4	Unspecified, Unintentional	13	4	Unspecified, Unintentional; Overexertion, Unintentional; Other spec/class, Unintentional; Natural/ Environ, Unintentional; Machinery, Unintentional	2
5			5	Overexertion, Unintentional	11	5	Transport, other, Unintentional; Poisoning, Undetermined; Other spec/not class, Unintentional	1
	Other	0		Other	28		Other	0
TOTAL		16	TOTAL		353	TOTAL		127

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* MONTGOMERY			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* MONTGOMERY			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* MONTGOMERY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	7	1	Fall, Unintentional	228	1	Fall, Unintentional	391
2	Fall, Unintentional	6	2	Unspecified, Unintentional	23	2	Unspecified, Unintentional	45
3	Unspecified, Unintentional; Firearm, Self inflicted	2	3	Other spec/class, Unintentional	13	3	Natural/ Environ, Unintentional	36
4	Suffocation, Unintentional; Poisoning, Unintentional; Machinery, Unintentional; Fire/ Burn, Unintentional; Drowning, Unintentional	1	4	MVT, Unintentional	11	4	Struck, Unintentional	35
5			5	Struck, Unintentional; Poisoning, Unintentional	9	5	Overexertion, Unintentional	34
	Other	0		Other	25		Other	112
TOTAL		22	TOTAL		318	TOTAL		653

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* MOORE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* MOORE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* MOORE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional; Fall, Unintentional	19	1	Fall, Unintentional	1,207	1	Fall, Unintentional	1,985
2	MVT, Unintentional	18	2	MVT, Unintentional	62	2	Cut/ Pierce, Unintentional	173
3	Firearm, Self inflicted	11	3	Unspecified, Unintentional	59	3	Unspecified, Unintentional	169
4	Suffocation, Unintentional	4	4	Other spec/class, Unintentional	28	4	Natural/ Environ, Unintentional	163
5	Suffocation, Self inflicted; Poisoning, Self inflicted; Fire/ Burn, Unintentional	2	5	Poisoning, Unintentional	26	5	Struck, Unintentional	161
	Other	6		Other	119		Other	525
TOTAL		83	TOTAL		1,501	TOTAL		3,176

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* NASH			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* NASH			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* NASH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	22	1	Fall, Unintentional	781	1	Fall, Unintentional	141
2	MVT, Unintentional	17	2	Unspecified, Unintentional	64	2	MVT, Unintentional	31
3	Unspecified, Unintentional	14	3	MVT, Unintentional	42	3	Unspecified, Unintentional	26
4	Firearm, Self inflicted	9	4	Other spec/class, Unintentional	38	4	Overexertion, Unintentional	18
5	Suffocation, Unintentional	8	5	Poisoning, Unintentional	36	5	Struck, Unintentional; Other spec/class, Unintentional	14
	Other	11		Other	94		Other	41
TOTAL		81	TOTAL		1,055	TOTAL		285

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* NEW HANOVER			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* NEW HANOVER			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* NEW HANOVER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	24	1	Fall, Unintentional	1,352	1	Fall, Unintentional	2,333
2	MVT, Unintentional	22	2	Unspecified, Unintentional	174	2	Unspecified, Unintentional	267
3	Unspecified, Unintentional	14	3	Other spec/class, Unintentional	170	3	MVT, Unintentional	249
4	Suffocation, Unintentional; Firearm, Self inflicted	8	4	Poisoning, Unintentional	70	4	Overexertion, Unintentional	151
5	Poisoning, Self inflicted	4	5	MVT, Unintentional	63	5	Other spec/class, Unintentional	107
	Other	10		Other	170		Other	469
TOTAL		90	TOTAL		1,999	TOTAL		3,576

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* NORTHAMPTON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* NORTHAMPTON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* NORTHAMPTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	4	1	Fall, Unintentional	191	1	Fall, Unintentional	428
2	Suffocation, Unintentional; Firearm, Self inflicted; Fall, Unintentional	2	2	Unspecified, Unintentional	23	2	MVT, Unintentional	51
3	Unspecified, Unintentional; Pedestrian, other, Unintentional; Other spec/NEC, Unintentional; Machinery, Unintentional; Fire/ Burn, Unintentional	1	3	MVT, Unintentional	17	3	Unspecified, Unintentional	47
4			4	Other spec/class, Unintentional	11	4	Natural/ Environ, Unintentional	20
5			5	Suffocation, Unintentional; Overexertion, Unintentional	6	5	Cut/ Pierce, Unintentional	17
	Other	0		Other	24		Other	83
TOTAL		15	TOTAL		278	TOTAL		646

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ONSLOW			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ONSLOW			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ONSLOW		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	20	1	Fall, Unintentional	691	1	Fall, Unintentional	1,060
2	MVT, Unintentional	13	2	Unspecified, Unintentional	113	2	MVT, Unintentional	153
3	Firearm, Self inflicted	9	3	MVT, Unintentional	49	3	Unspecified, Unintentional	141
4	Unspecified, Unintentional; Suffocation, Unintentional	7	4	Other spec/class, Unintentional	37	4	Cut/ Pierce, Unintentional	75
5	Fire/ Burn, Unintentional	3	5	Natural/ Environ, Unintentional	29	5	Natural/ Environ, Unintentional	69
	Other	7		Other	98		Other	317
TOTAL		66	TOTAL		1,017	TOTAL		1,815

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ORANGE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ORANGE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ORANGE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	21	1	Fall, Unintentional	833	1	Fall, Unintentional	764
2	MVT, Unintentional	12	2	Unspecified, Unintentional	85	2	Unspecified, Unintentional	86
3	Unspecified, Unintentional	7	3	MVT, Unintentional	54	3	Cut/ Pierce, Unintentional	63
4	Suffocation, Unintentional	3	4	Poisoning, Unintentional	43	4	Overexertion, Unintentional	60
5	Firearm, Self inflicted; Fire/ Burn, Unintentional	2	5	Natural/ Environ, Unintentional	26	5	MVT, Unintentional	58
	Other	4		Other	135		Other	227
TOTAL		51	TOTAL		1,176	TOTAL		1,258

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* PAMLICO			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* PAMLICO			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* PAMLICO		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Suffocation, Unintentional	3	1	Fall, Unintentional	134	1	Fall, Unintentional	92
2	Unspecified, Unintentional; MVT, Unintentional; Fall, Unintentional	2	2	Other spec/class, Unintentional	20	2	MVT, Unintentional	13
3	Poisoning, Unintentional; Firearm, Self inflicted	1	3	Unspecified, Unintentional	16	3	Cut/ Pierce, Unintentional	11
4			4	Overexertion, Unintentional; MVT, Unintentional	9	4	Other spec/class, Unintentional	10
5			5	Poisoning, Unintentional; Other spec/not class, Unintentional	5	5	Unspecified, Unintentional	9
	Other	0		Other	12		Other	27
TOTAL		11	TOTAL		210	TOTAL		162

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* PASQUOTANK			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* PASQUOTANK			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* PASQUOTANK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	5	1	Fall, Unintentional	369	1	Fall, Unintentional	38
2	Fall, Unintentional	4	2	Unspecified, Unintentional	42	2	MVT, Unintentional	9
3	Suffocation, Unintentional; MVT, Unintentional	3	3	MVT, Unintentional	15	3	Unspecified, Unintentional	6
4	Firearm, Self inflicted	2	4	Suffocation, Unintentional	13	4	Struck, Unintentional	4
5	Transport, other, Unintentional; Struck, Assault; Poisoning, Unintentional; Other spec/NEC, Legal intervention; Natural/ Environ, Unintentional; Fire/ Burn, Unintentional	1	5	Poisoning, Unintentional; Natural/ Environ, Unintentional	12	5	Other spec/class, Unintentional; Cut/ Pierce, Unintentional	2
	Other	0		Other	31		Other	4
TOTAL		23	TOTAL		494	TOTAL		65

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* PENDER			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* PENDER			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* PENDER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Self inflicted	8	1	Fall, Unintentional	268	1	Fall, Unintentional	358
2	Fall, Unintentional	5	2	Unspecified, Unintentional	37	2	MVT, Unintentional	49
3	Unspecified, Unintentional; Suffocation, Unintentional	4	3	Other spec/class, Unintentional	24	3	Unspecified, Unintentional	30
4	MVT, Unintentional	2	4	MVT, Unintentional	12	4	Overexertion, Unintentional	22
5	Poisoning, Undetermined; Firearm, Assault; Fire/ Burn, Unintentional; Drowning, Unintentional	1	5	Poisoning, Unintentional	11	5	Other spec/class, Unintentional	21
	Other	0		Other	51		Other	68
TOTAL		27	TOTAL		403	TOTAL		548

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* PERQUIMANS			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* PERQUIMANS			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* PERQUIMANS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	5	1	Fall, Unintentional	114	1	Fall, Unintentional	54
2	Suffocation, Unintentional	3	2	Unspecified, Unintentional	23	2	MVT, Unintentional	9
3	MVT, Unintentional	2	3	MVT, Unintentional	5	3	Unspecified, Unintentional	8
4	Unspecified, Unintentional; Suffocation, Self inflicted; Firearm, Self inflicted	1	4	Poisoning, Unintentional; Other spec/not class, Unintentional; Natural/ Environ, Unintentional	4	4	Struck, Unintentional; Natural/ Environ, Unintentional; Cut/ Pierce, Unintentional	4
5	Other	0	5	Other spec/class, Unintentional	3	5	Other spec/class, Unintentional	3
TOTAL		13	TOTAL		167	TOTAL		89

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* PERSON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* PERSON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* PERSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	8	1	Fall, Unintentional	379	1	Fall, Unintentional	526
2	Suffocation, Unintentional	5	2	Unspecified, Unintentional	65	2	Unspecified, Unintentional	97
3	Unspecified, Unintentional	3	3	MVT, Unintentional	20	3	Cut/ Pierce, Unintentional	79
4	Firearm, Self inflicted	2	4	Overexertion, Unintentional	19	4	MVT, Unintentional	74
5	Poisoning, Self inflicted; Fire/ Burn, Unintentional	1	5	Other spec/not class, Unintentional; Natural/ Environ, Unintentional	9	5	Overexertion, Unintentional	63
	Other	0		Other	35		Other	162
TOTAL		28	TOTAL		536	TOTAL		1,001

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* PITT			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* PITT			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* PITT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	39	1	Fall, Unintentional	703	1	Fall, Unintentional	1,005
2	MVT, Unintentional	17	2	MVT, Unintentional	76	2	MVT, Unintentional	173
3	Unspecified, Unintentional	9	3	Unspecified, Unintentional	49	3	Unspecified, Unintentional	94
4	Suffocation, Unintentional	4	4	Poisoning, Unintentional	39	4	Struck, Unintentional	66
5	Fire/ Burn, Unintentional	3	5	Other spec/class, Unintentional	34	5	Natural/ Environ, Unintentional	59
	Other	10		Other	82		Other	245
TOTAL		82	TOTAL		983	TOTAL		1,642

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* POLK			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* POLK			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* POLK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	8	1	Fall, Unintentional	327	1	Fall, Unintentional	241
2	Unspecified, Unintentional	5	2	Unspecified, Unintentional	26	2	Other spec/not class, Unintentional	15
3	Suffocation, Unintentional	3	3	Poisoning, Unintentional; Natural/ Environ, Unintentional	12	3	MVT, Unintentional	14
4	Poisoning, Self inflicted; MVT, Unintentional; Firearm, Self inflicted	2	4	MVT, Unintentional	9	4	Unspecified, Unintentional	12
5	Transport, other, Unintentional; Struck, Unintentional; Other spec/NEC, Unintentional; Natural/ Environ, Unintentional; Fire/ Burn, Unintentional; Drowning, Unintentional	1	5	Other spec/not class, Unintentional	6	5	Struck, Unintentional	11
	Other	0		Other	28		Other	39
TOTAL		28	TOTAL		420	TOTAL		332

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* RANDOLPH			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* RANDOLPH			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* RANDOLPH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	50	1	Fall, Unintentional	1,209	1	Fall, Unintentional	2,041
2	MVT, Unintentional	15	2	Unspecified, Unintentional	133	2	MVT, Unintentional	203
3	Firearm, Self inflicted	10	3	MVT, Unintentional	78	3	Unspecified, Unintentional	195
4	Unspecified, Unintentional; Suffocation, Unintentional	6	4	Poisoning, Unintentional; Other spec/class, Unintentional	41	4	Struck, Unintentional	105
5	Poisoning, Unintentional	5	5	Struck, Unintentional	29	5	Natural/ Environ, Unintentional	92
	Other	20		Other	130		Other	411
TOTAL		112	TOTAL		1,661	TOTAL		3,047

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* RICHMOND			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* RICHMOND			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* RICHMOND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	8	1	Fall, Unintentional	532	1	Fall, Unintentional	805
2	Fall, Unintentional	7	2	Unspecified, Unintentional	63	2	Unspecified, Unintentional	109
3	Unspecified, Unintentional	5	3	MVT, Unintentional	27	3	MVT, Unintentional	81
4	Firearm, Self inflicted	3	4	Poisoning, Unintentional	20	4	Natural/ Environ, Unintentional	72
5	Suffocation, Unintentional	2	5	Other spec/class, Unintentional; Natural/ Environ, Unintentional	19	5	Cut/ Pierce, Unintentional	64
	Other	2		Other	59		Other	198
TOTAL		27	TOTAL		739	TOTAL		1,329

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ROBESON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ROBESON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ROBESON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	Fall, Unintentional	565	1	Fall, Unintentional	1,197
2	Firearm, Self inflicted	10	2	Unspecified, Unintentional	227	2	MVT, Unintentional	228
3	Unspecified, Unintentional; Suffocation, Unintentional; Fall, Unintentional	7	3	MVT, Unintentional	70	3	Unspecified, Unintentional	209
4	Fire/ Burn, Unintentional	6	4	Poisoning, Unintentional	40	4	Struck, Unintentional	89
5	Poisoning, Unintentional	4	5	Other spec/class, Unintentional	33	5	Overexertion, Unintentional	76
	Other	13		Other	110		Other	332
TOTAL		75	TOTAL		1,045	TOTAL		2,131

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ROCKINGHAM			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ROCKINGHAM			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ROCKINGHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	20	1	Fall, Unintentional	1,383	1	Fall, Unintentional	1,369
2	Unspecified, Unintentional	19	2	Unspecified, Unintentional	115	2	Unspecified, Unintentional	172
3	MVT, Unintentional	16	3	MVT, Unintentional	77	3	MVT, Unintentional	143
4	Firearm, Self inflicted	14	4	Other spec/class, Unintentional	74	4	Other spec/class, Unintentional	105
5	Fire/ Burn, Unintentional	8	5	Poisoning, Unintentional	64	5	Struck, Unintentional	101
	Other	13		Other	164		Other	357
TOTAL		90	TOTAL		1,877	TOTAL		2,247

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* ROWAN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* ROWAN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* ROWAN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	45	1	Fall, Unintentional	1,089	1	Fall, Unintentional	770
2	MVT, Unintentional	23	2	Unspecified, Unintentional	278	2	Unspecified, Unintentional	98
3	Firearm, Self inflicted	13	3	Other spec/class, Unintentional	92	3	MVT, Unintentional	88
4	Unspecified, Unintentional	9	4	MVT, Unintentional	80	4	Other spec/class, Unintentional	46
5	Suffocation, Unintentional	5	5	Poisoning, Unintentional	36	5	Cut/ Pierce, Unintentional	44
	Other	20		Other	166		Other	171
TOTAL		115	TOTAL		1,741	TOTAL		1,217

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* RUTHERFORD			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* RUTHERFORD			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* RUTHERFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional; Fall, Unintentional	12	1	Fall, Unintentional	780	1	Fall, Unintentional	1,011
2	MVT, Unintentional	9	2	Unspecified, Unintentional	84	2	Unspecified, Unintentional	144
3	Firearm, Self inflicted	7	3	Poisoning, Unintentional	52	3	MVT, Unintentional	121
4	Suffocation, Unintentional	6	4	MVT, Unintentional	50	4	Other spec/class, Unintentional	101
5	Poisoning, Unintentional; Natural/ Environ, Unintentional; Firearm, Assault	2	5	Other spec/class, Unintentional	40	5	Struck, Unintentional	74
	Other	5		Other	118		Other	259
TOTAL		57	TOTAL		1,124	TOTAL		1,710

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* SAMPSON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* SAMPSON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* SAMPSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	18	1	Fall, Unintentional	404	1	Fall, Unintentional	810
2	MVT, Unintentional	7	2	Unspecified, Unintentional	99	2	MVT, Unintentional	132
3	Unspecified, Unintentional	6	3	MVT, Unintentional	50	3	Unspecified, Unintentional	116
4	Suffocation, Unintentional; Firearm, Self inflicted	2	4	Other spec/class, Unintentional	23	4	Natural/ Environ, Unintentional	61
5	Transport, other, Unintentional; Poisoning, Unintentional; Other spec/class, Unintentional; Natural/ Environ, Unintentional; Firearm, Assault	1	5	Poisoning, Unintentional	21	5	Struck, Unintentional	60
	Other	0		Other	71		Other	204
TOTAL		40	TOTAL		668	TOTAL		1,383

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* SCOTLAND			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* SCOTLAND			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* SCOTLAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	6	1	Fall, Unintentional	305	1	Fall, Unintentional	478
2	Unspecified, Unintentional	3	2	MVT, Unintentional	31	2	Unspecified, Unintentional	89
3	MVT, Unintentional; Firearm, Self inflicted	2	3	Unspecified, Unintentional	30	3	MVT, Unintentional	74
4	Poisoning, Unintentional; Other spec/NEC, Self inflicted; Fire/ Burn, Unintentional	1	4	Poisoning, Unintentional	10	4	Struck, Unintentional	44
5			5	Natural/ Environ, Unintentional; Fire/ Burn, Unintentional	8	5	Overexertion, Unintentional	33
	Other	0		Other	28		Other	119
TOTAL		16	TOTAL		420	TOTAL		837

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* STANLY			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* STANLY			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* STANLY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	12	1	Fall, Unintentional	636	1	Fall, Unintentional	355
2	Unspecified, Unintentional	10	2	Unspecified, Unintentional	80	2	Unspecified, Unintentional	49
3	MVT, Unintentional; Firearm, Self inflicted	8	3	MVT, Unintentional	47	3	MVT, Unintentional	45
4	Suffocation, Unintentional	7	4	Other spec/class, Unintentional	28	4	Overexertion, Unintentional	31
5	Other spec/NEC, Unintentional	2	5	Poisoning, Unintentional	17	5	Natural/ Environ, Unintentional	25
	Other	4		Other	74		Other	97
TOTAL		51	TOTAL		882	TOTAL		602

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* STOKES			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* STOKES			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* STOKES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	13	1	Fall, Unintentional	444	1	Fall, Unintentional	613
2	Fall, Unintentional	9	2	Unspecified, Unintentional	47	2	Unspecified, Unintentional	107
3	MVT, Unintentional	7	3	MVT, Unintentional	34	3	Struck, Unintentional	54
4	Suffocation, Unintentional	3	4	Overexertion, Unintentional	12	4	Overexertion, Unintentional	51
5	Firearm, Assault	2	5	Suffocation, Unintentional; Other spec/class, Unintentional	8	5	Cut/ Pierce, Unintentional	48
	Other	5		Other	44		Other	167
TOTAL		39	TOTAL		597	TOTAL		1,040

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* SURRY			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* SURRY			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* SURRY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	21	1	Fall, Unintentional	995	1	Fall, Unintentional	1,403
2	Unspecified, Unintentional	13	2	Unspecified, Unintentional	109	2	Unspecified, Unintentional	219
3	Suffocation, Unintentional; MVT, Unintentional	12	3	MVT, Unintentional	55	3	MVT, Unintentional	137
4	Firearm, Self inflicted	8	4	Poisoning, Unintentional	33	4	Cut/ Pierce, Unintentional	96
5	Poisoning, Unintentional; Natural/ Environ, Unintentional	3	5	Other spec/class, Unintentional	20	5	Overexertion, Unintentional	93
	Other	13		Other	102		Other	360
TOTAL		85	TOTAL		1,314	TOTAL		2,308

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* SWAIN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* SWAIN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* SWAIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional; Firearm, Self inflicted; Fall, Unintentional	3	1	Fall, Unintentional	146	1	Fall, Unintentional	154
2	Natural/ Environ, Unintentional; MVT, Unintentional; Firearm, Assault	1	2	Unspecified, Unintentional	32	2	MVT, Unintentional	18
3			3	MVT, Unintentional	11	3	Struck, Unintentional; Cut/ Pierce, Unintentional	16
4			4	Suffocation, Unintentional	10	4	Natural/ Environ, Unintentional	14
5			5	Natural/ Environ, Unintentional	8	5	Overexertion, Unintentional	13
	Other	0		Other	24		Other	41
TOTAL		12	TOTAL		231	TOTAL		272

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* TRANSYLVANIA			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* TRANSYLVANIA			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* TRANSYLVANIA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	15	1	Fall, Unintentional	427	1	Fall, Unintentional	926
2	Fall, Unintentional	7	2	Unspecified, Unintentional	32	2	Unspecified, Unintentional	178
3	Firearm, Self inflicted	4	3	MVT, Unintentional	27	3	Struck, Unintentional	102
4	MVT, Unintentional	3	4	Poisoning, Unintentional; Overexertion, Unintentional	14	4	Overexertion, Unintentional	95
5	Fire/ Burn, Unintentional	2	5	Other spec/class, Unintentional	11	5	Cut/ Pierce, Unintentional	91
	Other	6		Other	56		Other	241
TOTAL		37	TOTAL		581	TOTAL		1,633

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* TYRRELL			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* TYRRELL			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* TYRRELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	2	1	Fall, Unintentional	23	1	Fall, Unintentional	27
2	MVT, Unintentional	1	2	Natural/ Environ, Unintentional	5	2	Overexertion, Unintentional	5
3			3	Unspecified, Unintentional	3	3	MVT, Unintentional	4
4			4	Other spec/class, Unintentional	2	4	Unspecified, Unintentional; Natural/ Environ, Unintentional	3
5			5	Overexertion, Unintentional; MVT, Unintentional; Cut/ Pierce, Unintentional	1	5	Transport, other, Unintentional; Struck, Unintentional; Other spec/class, Unintentional	2
	Other	0		Other	0		Other	2
TOTAL		3	TOTAL		36	TOTAL		50

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* UNION			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* UNION			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* UNION		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	19	1	Fall, Unintentional	970	1	Fall, Unintentional	1,284
2	Unspecified, Unintentional; Firearm, Self inflicted	7	2	Unspecified, Unintentional	139	2	Unspecified, Unintentional	240
3	Suffocation, Unintentional	6	3	Other spec/class, Unintentional	80	3	MVT, Unintentional	171
4	Poisoning, Unintentional; Poisoning, Self inflicted; Other spec/NEC, Unintentional; Other land transport, Unintentional; Fire/ Burn, Unintentional	2	4	MVT, Unintentional	62	4	Cut/ Pierce, Unintentional	144
5	Other spec/class, Unintentional; Natural/ Environ, Unintentional; Drowning, Unintentional; Cut/ Pierce, Unintentional; Cut/ Pierce, Assault	1	5	Poisoning, Unintentional	39	5	Overexertion, Unintentional	110
	Other	0		Other	117		Other	317
TOTAL		73	TOTAL		1,407	TOTAL		2,266

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* VANCE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* VANCE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* VANCE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	10	1	Fall, Unintentional	304	1	Fall, Unintentional	162
2	Unspecified, Unintentional	4	2	Unspecified, Unintentional	42	2	MVT, Unintentional	25
3	Fire/ Burn, Unintentional	3	3	MVT, Unintentional	18	3	Unspecified, Unintentional	18
4	Poisoning, Unintentional; MVT, Unintentional; Firearm, Self inflicted	2	4	Natural/ Environ, Unintentional	11	4	Overexertion, Unintentional	17
5	Unspecified, Assault; Suffocation, Unintentional; Machinery, Unintentional	1	5	Poisoning, Unintentional	9	5	Struck, Unintentional	14
	Other	0		Other	48		Other	35
TOTAL		26	TOTAL		432	TOTAL		271

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* WAKE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* WAKE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* WAKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	109	1	Fall, Unintentional	3,846	1	Fall, Unintentional	5,889
2	Unspecified, Unintentional	48	2	Unspecified, Unintentional	529	2	Unspecified, Unintentional	641
3	MVT, Unintentional	36	3	Other spec/class, Unintentional	221	3	MVT, Unintentional	640
4	Suffocation, Unintentional	29	4	MVT, Unintentional	211	4	Struck, Unintentional	490
5	Firearm, Self inflicted	20	5	Poisoning, Unintentional	175	5	Cut/ Pierce, Unintentional	364
	Other	39		Other	526		Other	1,424
TOTAL		281	TOTAL		5,508	TOTAL		9,448

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* WARREN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* WARREN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* WARREN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional; Fall, Unintentional	5	1	Fall, Unintentional	147	1	Fall, Unintentional	74
2	Unspecified, Assault; Firearm, Self inflicted	2	2	Unspecified, Unintentional	22	2	MVT, Unintentional	11
3	Suffocation, Unintentional; MVT, Unintentional; Firearm, Assault; Fire/ Burn, Unintentional; Cut/ Pierce, Assault	1	3	Poisoning, Unintentional	7	3	Other spec/class, Unintentional	9
4			4	Natural/ Environ, Unintentional; MVT, Unintentional	5	4	Unspecified, Unintentional; Natural/ Environ, Unintentional	7
5			5	Overexertion, Unintentional	4	5	Struck, Unintentional	4
	Other	0		Other	16		Other	12
TOTAL		19	TOTAL		206	TOTAL		124

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* WASHINGTON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* WASHINGTON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* WASHINGTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Firearm, Self inflicted	3	1	Fall, Unintentional	103	1	Fall, Unintentional	44
2	Fire/ Burn, Unintentional; Fall, Unintentional	2	2	MVT, Unintentional	11	2	MVT, Unintentional	14
3	Unspecified, Unintentional	1	3	Poisoning, Unintentional	9	3	Unspecified, Unintentional; Struck, Unintentional	4
4			4	Unspecified, Unintentional	8	4	Overexertion, Unintentional; Other spec/class, Unintentional	3
5			5	Other spec/class, Unintentional	5	5	Transport, other, Unintentional; Poisoning, Unintentional	2
	Other	0		Other	12		Other	2
TOTAL		11	TOTAL		148	TOTAL		78

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* WATAUGA			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* WATAUGA			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* WATAUGA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	14	1	Fall, Unintentional	276	1	Fall, Unintentional	234
2	MVT, Unintentional	4	2	Unspecified, Unintentional	42	2	Unspecified, Unintentional	28
3	Unspecified, Unintentional	3	3	Other spec/class, Unintentional	16	3	Overexertion, Unintentional	26
4	Suffocation, Unintentional; Firearm, Self inflicted	2	4	MVT, Unintentional	15	4	Struck, Unintentional	25
5	Transport, other, Unintentional; Poisoning, Undetermined; Poisoning, Self inflicted; Machinery, Unintentional; Fire/ Burn, Unintentional	1	5	Poisoning, Unintentional; Fire/ Burn, Unintentional	11	5	Cut/ Pierce, Unintentional	21
	Other	0		Other	47		Other	68
TOTAL		30	TOTAL		418	TOTAL		402

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* WAYNE			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* WAYNE			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* WAYNE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	15	1	Fall, Unintentional	923	1	Fall, Unintentional	1,623
2	Unspecified, Unintentional; Firearm, Self inflicted	12	2	Unspecified, Unintentional	329	2	Unspecified, Unintentional	323
3	Suffocation, Unintentional	8	3	MVT, Unintentional	70	3	MVT, Unintentional	237
4	Poisoning, Self inflicted; Fire/ Burn, Unintentional	2	4	Poisoning, Unintentional	57	4	Natural/ Environ, Unintentional	117
5	Other spec/NEC, Legal intervention; Machinery, Unintentional; Firearm, Assault; Fire/ Burn, Undetermined; Cut/ Pierce, Self inflicted	1	5	Other spec/class, Unintentional	49	5	Struck, Unintentional	116
	Other	0		Other	175		Other	414
TOTAL		71	TOTAL		1,603	TOTAL		2,830

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* WILKES			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* WILKES			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* WILKES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	25	1	Fall, Unintentional	748	1	Fall, Unintentional	132
2	MVT, Unintentional; Firearm, Self inflicted	9	2	Unspecified, Unintentional	81	2	MVT, Unintentional	20
3	Unspecified, Unintentional	8	3	MVT, Unintentional	40	3	Unspecified, Unintentional	14
4	Suffocation, Unintentional; Fire/ Burn, Unintentional	3	4	Poisoning, Unintentional	37	4	Struck, Unintentional; Natural/ Environ, Unintentional	10
5	Transport, other, Unintentional; Struck, Unintentional; Pedal cyclist, other, Unintentional; Other spec/NEC, Unintentional; Natural/ Environ, Unintentional; Machinery, Unintentional; Cut/ Pierce, Unintentional	1	5	Other spec/class, Unintentional	25	5	Other spec/class, Unintentional	8
	Other	0		Other	108		Other	23
TOTAL		64	TOTAL		1,039	TOTAL		217

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* WILSON			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* WILSON			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* WILSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	34	1	Fall, Unintentional	667	1	Fall, Unintentional	440
2	MVT, Unintentional	13	2	Unspecified, Unintentional	102	2	Unspecified, Unintentional	88
3	Suffocation, Unintentional	10	3	MVT, Unintentional	40	3	MVT, Unintentional	64
4	Unspecified, Unintentional	9	4	Other spec/class, Unintentional	37	4	Struck, Unintentional	36
5	Firearm, Self inflicted	5	5	Poisoning, Unintentional	23	5	Cut/ Pierce, Unintentional	34
	Other	10		Other	79		Other	121
TOTAL		81	TOTAL		948	TOTAL		783

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* YADKIN			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* YADKIN			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* YADKIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Unspecified, Unintentional	10	1	Fall, Unintentional	416	1	Fall, Unintentional	429
2	Suffocation, Unintentional	9	2	Unspecified, Unintentional	47	2	Unspecified, Unintentional	57
3	MVT, Unintentional; Fall, Unintentional	5	3	MVT, Unintentional	22	3	MVT, Unintentional	43
4	Fire/ Burn, Unintentional	3	4	Other spec/class, Unintentional	14	4	Struck, Unintentional	36
5	Suffocation, Self inflicted; Poisoning, Unintentional; Firearm, Unintentional; Firearm, Self inflicted Other	1 0	5	Overexertion, Unintentional	13	5	Cut/ Pierce, Unintentional	29
TOTAL		36	TOTAL		570	TOTAL		690

Leading Causes of Injury Death AGES 65 & OVER: N.C. 2004-2007* YANCEY			Leading Causes of Injury Hospitalization** AGES 65 & OVER: N.C. 2004-2007* YANCEY			Leading Causes of Injury ED Visits** AGES 65 & OVER: N.C. 2006-2007* YANCEY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	10	1	Fall, Unintentional	241	1	Fall, Unintentional	88
2	Unspecified, Unintentional; Fall, Unintentional	4	2	Unspecified, Unintentional	27	2	MVT, Unintentional	9
3	Firearm, Self inflicted	3	3	Poisoning, Unintentional	17	3	Unspecified, Unintentional; Struck, Unintentional; Poisoning, Unintentional	7
4	Suffocation, Unintentional	1	4	MVT, Unintentional	15	4	Other spec/class, Unintentional	4
5			5	Other spec/class, Unintentional	14	5	Transport, other, Unintentional; Cut/ Pierce, Unintentional Other	3 9
TOTAL		22	TOTAL		356	TOTAL		137

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.